



We believe in
"Innovation Cleans Life"

Ningbo Power (Joro) Sanitary Electrical Appliance Co.,Ltd

Mob: +86 139 5821 2181

Tel: 86-574-87664043, 87898735, 87358571

Fax: 86-574-87358571

Website: www.sino-handdryer.com

E-mail: sales@sino-handdryer.com



Website



PRODUCT CATALOG

The Choice of Top Brands | The Choice of Wisdom



ENTERPRISE INTRODUCTION

The Company
established for
> 20 years

Cooperative
clients
> 300

Annual
order value
> 10M USD

We believe in "Innovation Cleans life"

We are an ISO9001 and Sedex certified manufacturer and trader for hygiene wares with 20+ years' experience.

To broaden our market, we move from OEM to R&D in 2018. With the effort of our professional R&D team, we have now independently developed series products of hand dryers, soap dispensers, hair dryers etc. All of our products have patents.

To meet the different needs of our clients, we always provide customized services for them. Customer satisfaction is always our ultimate goal.



CORPORATE HONORS



■ Company Certifications



■ Product Certifications



■ Product Design Patents



PRODUCT CATALOG

01 ELECTRIC KETTLE

Enterprise Introduction	01
Corporate Honors	02
Product Catalog	03

03 COAT HANGER

Luxury Soap Dispensers	17
Faucet Soap Dispensers	27
Stainless Steel Soap Dispensers	31
2 in 1 Soap Dispensers	41

02 ELECTRIC IRON

UV Hand Dryers	05
Stainless Steel Hand Dryers	09
Jet Hand Dryers	11
Tap Hand Dryers	13

04 GUEST ROOM SUPPLIES


High Speed Hair Dryers	43
Ordinary Hair Dryers	49

05 WASTE BIN

Mirror Cabinets	51
S.S. Grab Bars	55
Shower Seats	57

INNOVATIVE UV HAND DRYER

PW-Zap Y



UVC Sterilization



UVA Sterilization combined
with Photocatalyst



High Concentration Negative
Oxygen Ion Sterilization




Clean Air



HEPA Filters Bacteria



High Air Speed with **105m/s**





PW-Zap X



PW-Zap Y



PW-Zap X



PW-UVC300

Voltage:	110/220VAC 60/50Hz	Rated Power:	1420W
Wind Speed:	100-115m/s	UV Light:	20W
Disinfection Area:	30m	Surface:	Satin/Polished/Paint
Material:	304#Stainless Steel	Motor Speed/Power:	31000RPM/600W
Heating Power:	Resistance Wire /800w(Heating when temperature $\leq 25\pm 2^{\circ}\text{C}$)		



PW-B



PW-B



PW-C



PW-D



PW-E

Voltage:	110/220VAC 60/50Hz	Rated Power:	1350-1400W
Heating Power:	800w(Heating when temperature <25°C)	Motor Power:	550-600W
Wind Speed:	75m/s	motor speed:	20000RPM

JET HAND DRYER SERIES

Brushless/Brushed motor optional

High Speed Motor with 7-10S drying time

New Larger HEPA Filter with an efficiency of 99.9%

#304 S.S. Shell

PW-70-4S



HAND DRYERS | Jet Hand Dryers



PW-70-1



PW-70-2



PW-70-3



PW-70-4



Voltage:	110/220V AC 60/50Hz
Heating Power/Rated Power:	1000W(MAX); 1000-2000W
Motor Speed/Power:	20000-40000RPM/1000W
Wind Speed:	90-100m/s
Noise:	75-80dbs(brushed motor); 70-75 dbs(brushless motor)
Waterproof Grade:	IPX4




PW-THD05A

INNOVATIVE

3-in-1 Faucet Solution



Liquid Drop/Foaming



Water



Two Sides Wind

HAND DRYERS | Tap Hand Dryers

A Whole Set



PW-THD01



PW-THD02

Voltage:	110V/220V AC, 60/50Hz	Rated Power:	1000W(Maximun)
Wind Speed:	80m/s	Motor Type:	Brushless DC Motor
Material:	304SS/Brass	Sensing Distance:	3-12cm
Water Pressurere Required:	1-8 bar	Max Water Outlet Time:	60s
Soap Tank Capacity:	3000ml	Operating Temperature Range:	5-40°C

PW-THD02A



PW-THD03



PW-THD01A



PW-THD02A



PW-THD04



PW-THD05

Voltage:	110V/220V AC, 60/50Hz	Rated Power:	1000W(Maximun)
Wind Speed:	80m/s	Motor Type:	Brushless DC Motor
Material:	304SS/Brass	Sensing Distance:	3-12cm
Water Pressurere Required:	1-8 bar	Max Water Outlet Time:	60s
Soap Tank Capacity:	3000ml	Operating Temperature Range:	5-40°C

Voltage:	110V/220V AC, 60/50Hz	Rated Power:	1000W(Maximun)
Wind Speed:	80m/s	Motor Type:	Brushless DC Motor
Material:	304SS/Brass	Sensing Distance:	3-12cm
Water Pressurere Required:	1-8 bar	Max Water Outlet Time:	60s
Soap Tank Capacity:	3000ml	Operating Temperature Range:	5-40°C

PW-ML

Five-in-one function: soap dispenser, mirror, clock, Thermometer, decoration

A series with different colors and Installation methods allow to choose according to your environment.

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Batteries or USB (6V1A)
(When powered by USB, the screen is always on When powered by batteries, the screen will be off after 10s)



Automatic Soap Dispenser

Installation: Table and wall mounted type



- 12:24-hour clock
- Temperature
- USB available
- Batteries auto code
- With 3 dispensing levels
- Warning for use out



Color
(Can be customized)



Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
260x141x78mm	1.25/1.00kgs	480ml	G.W./N.W.(KGS): 17.5KGS/14.5KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

PW-NX

We always believe "Innovation defines hygiene". The series of NEW smart SOAP DISPENSERS redefined "Soap Dispenser", which is with multiple functions to clean your hands while bringing you joy.

It is "Unique", "Attractive", "Modern", "Luxurious", "Intelligent".

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Batteries or USB (6V1A)
(When powered by USB, the screen is always on When powered by batteries, the screen will be off after 10s)



Automatic Soap Dispenser

Installation: Table and wall mounted type



- 12.24-hour clock
- Temperature
- USB available
- Batteries auto code
- With 3 dispensing levels
- Warning for low out

Color
(Can be customized)



Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
228x141x78mm	1.23/0.99kgs	480ml	G.W./N.W.(KGS): 17.0KGS/14.0KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

PW-MS

It is user-friendly and refillable. Different people have different requirement for the volume for soap, and the automatic soap dispenser has different volume for people to choose, which will help to save soap

Main Material: Aluminium Alloy (shell)
Power supply: 4x 1.5 V LR6 AA Batteries or USB (5V1A)
(When powered by USB, the screen is always on When powered by batteries, the screen will be off after 10s)



Automatic Soap Dispenser

Installation: Table and wall mounted type



- 12:24 -clock
- Temperature
- USB available
- Batteries auto-charge
- With 3 dispensing levels
- Warning for low level

Color
(Can be customized)



Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
251x141x105mm	1.4/1.15kgs	480ml	G.W./N.W.(KGS): 18.0KGS/15.0KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm





Color (Can be customized)



Automatic Soap Dispenser

PW-NJ

Size(mm): 229x140x81mm
G.W./N.W.(g): 1.3/1.05kgs
Capacity: 480ml

Packing: G.W.:21.6KGS/N.W.:20.7KGS
Pcs/ctn: 16pcs/ctn
Ctn size: 56x31.5x45.5cm

Installation: Table
Dispensing mode: Liquid drop/Spray /Foaming



Color (Can be customized)



Automatic Soap Dispenser

PW-NS

Size(mm): 251x140x105mm
G.W./N.W.(g): 1.39/1.14kgs
Capacity: 480ml

Packing: G.W.:21.1KGS/N.W.:20.2KGS
Pcs/ctn: 16pcs/ctn
Ctn size: 56x31.5x45.5cm

Installation: Table
Dispensing mode: Liquid drop/Spray /Foaming



Automatic Soap Dispenser

Installation: wall mounted type



- 12/24 Hour clock
- Temperature
- USB available
- Batteries auto-charge
- With E dispensing levels
- Warning for low level



PW-N
Installation: wall mounted



Color
(Can be customized)



Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
145x141x78mm	1.18/0.93kgs	480ml	G.W./N.W.(KGS): 24.5KGS/23.6KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

Automatic Soap Dispenser

Installation: Table and wall mounted type



- 12/24 Hour clock
- Temperature
- USB available
- Batteries auto-charge
- With E dispensing levels
- Warning for low level



PW-M
Installation: wall mounted



Color
(Can be customized)



Size(mm)	G.W./N.W.(G)	Capacity	Packing	Packing
167x141x78mm	1.19/0.94kgs	480ml	G.W./N.W.(KGS): 24.3KGS/23.4KGS	Pcs/ctn:12pcs/ctn Ctn size:54.5x31.5x47.5cm

FAUCET SOAP DISPENSERS



Our Version :



Standard Market Models :



Power Supply:	AC110~240V; DC 6V	Applicable Soap Viscosity:	100~3800 CPS
Applicable Temperature:	1-55°C	Material&Surface:	Brass With Chrome Surface
Bottle Volume:	1000ml	Sensing Distance:	5~150mm; Factory Setting 100mm±15mm
Soap Volume:			0.5~3ml Adjustable; Factory Setting 1.25±0.25ml
Foam Soap Volume:			0.5~25mL Adjustable; Factory Setting 15±5ml
Power Consumption:			Standby 0.4W(≤3W); Operation 1.2W(≤5W)



6011



6031



6051



6061



6061H



6071



6081



6181



6151



6261



6271



6112



6161



6171



6131




6191



6117



6471



6251

STAINLESS STEEL SOAP DISPENSERS



- Made of SUS304 stainless steel, anti-corrosion, anti-rust and durable
- Transparent window (optional) for liquid level check
- Wall mounted, space-saving & user-friendly
- Refillable design, eco-friendly & cost-effective



PW-NC1200



TOP

BOTTOM

KEY

Material:	304#Stainless Steel	Volum:	1200ml
Sheet Thickness:	0.8mm	Surface Finish:	Satin/PVD(colors)
Lock:	Yes	Produt Size:	287(L)x101(W)x118(H)

STAINLESS STEEL SOAP DISPENSERS



- Made of SUS304 stainless steel, anti-corrosion, anti-rust and durable
- Transparent window (optional) for liquid level check
- Wall mounted, space-saving & user-friendly
- Refillable design, eco-friendly & cost-effective



PW-ND1200



TOP



BOTTOM



KEY

Material:	304#Stainless Steel	Volum:	1200ml
Sheet Thickness:	0.8mm	Surface Finish:	Satin/PVD(colors)
Lock:	Yes	Produt Size:	270(L)x101(W)x112(H)

STAINLESS STEEL SOAP DISPENSERS

- Made of quality #304 stainless steel. Anti corrosion.
- Heavy duty pumps all tested before assembly, prevent leakage.
- Wall mounted design, mounting plate and screws provided, easily open lock with provided key, easily check soap level from the transparent viewing window in front of the soap dispenser.
- Satin/Polished/Painted surfaces optional.



PW-NB



PW-NA



TOP



BOTTOM



PW-NB



TOP



BOTTOM

Material:	304#Stainless Steel	Volume:	1200ml
Lock:	Yes	Thickness:	0.8mm
Pump:	Black Pump Or Black Pump With Stainless Steel Cover		

PW1 SERIES



Material:	304#Stainless Steel	Volume:	500/800/1000/1200/1500ml
Surface Finish:	Mirror Polish	Lock Mechanism:	Yes

PW2 SERIES



Material:	304#Stainless Steel	Volume:	500/800/1000/1200/1500ml
Surface Finish:	Mirror Polish&Satin Finish	Lock Mechanism:	Yes

PW3 SERIES



Material:	304#Stainless Steel	Volume:	500/800/1000/1200ml
Surface Finish:	Mirror Polish/Satin	Lock Mechanism:	Yes

SQUARE SERIES



PW15-1200

PW16-1200

Material:	304#Stainless Steel	Volume:	1200ml
Surface Finish:	Mirror Polish&Satin Finish	Lock Mechanism:	Yes

PW4 SERIES



GOLD AND BLACK
AVAILABLE



DIFFERENT PUMPS
OPTIONAL



Material:	304#Stainless Steel	Volume:	1000/1200ml
Surface Finish:	Mirror Polish/Satin	Lock Mechanism:	Yes



PW-GEM-L



PW-GEM-T



PW-T8801

Voltage:	AC240V 60/50Hz	Rated Power:	stand by ≤2W; Working ≤18W
Sensing Distance:	10-20cm	Inlet Connection:	G1/2"
Starting System:	Infrared induction	Water Pressure Required:	0.05-0.8 Mpa
Environment Humidity:	< 80%		

COMPACT & PORTABLE HAIR DRYER

IDEAL FOR ON-THE-GO STYLING

Space -saving design,
perfect for both home and travel use.

PW-B07 /1200W



PW-B07 /1200W



105000 RPM high-speed motor



70dB quiet breeze



100 temperature calibrations per second



Billions of dollars Negative ion hair care



body


Voltage:	110/220VAC 60/50Hz	Power:	1200W
Air Speed:	22m/s	Motor Speed:	105,000 RPM
Maximum Noise Level:	70dB		
Air Temperature:	Cool air: Room temperature	Warm air: 50°C	Hot air: 80°C
Product size:	221.5*127*60mm	Net weight:	410g



Built-inNTC
Thermal Sensor



Built-in
Temperature
Controller



Built-in
microprocessor
chip




Built-in
Thermal Cut-off



Built-in
anti-fire&high temperature
resistant PPS plastic



100,000+micropore
ultra dense filter



PW-B15 /1600W



PW-B16 /1600W

Voltage:	110/220VAC 60/50Hz	Power:	1600W
Air Speed:	22m/s	Motor Speed:	110,000 RPM
Maximum Noise Level:	59dB		
Air Temperature:	Cool air: Room temperature	Warm air: 50°C	Hot air: 80°C




PW-B12 /1600W



PW-B20 /1600W

COLOR CAN BE CUSTOMIZED


*Intelligent High Speed
Hair Dryer with Plasma Hair Care*



Magnetic Bracket



Bracket



Magnetic Nozzle




Storage Box

PW-B10 /1500W



Heat(80°C)



Warm(50°C)



Normal(30°C)



PW-616 /1875W



PW-618 /1800W



PW-619 /1300W



PW-630 /1600W



Obsidian Black



Space Grey



Elegant Grey



THE MIRROR CABINET CAN BE CUSTOMIZED,
AND ITS FUNCTIONS CAN BE FREELY CONFIGURED.



Paper Dispenser



Soap Dispenser





Hand Dryer



Model:PW-MC

Mirror Cabinet With
Open Lid



Material: 304#Stainless Steel



Surface: Satin/Chrome/Gold

Soap Dispenser/Paper dispenser/Hand Dryer:

customize

UPGRADED

- Modular installation system
- Featuring seamless joints and a smooth
- Excellent craftsmanship



Made of high-strength stainless steel filled with honeycomb aluminum, offering excellent resistance to deformation, corrosion, and rust.



The stainless steel surface is seamless and non-porous, preventing the growth of bacteria and mites, and meeting food-grade safety standards.



The detachable structure allows easy transport and reduces shipping costs by **40%**.

STAINLESS STEEL GRAB BARS



LENGTH CAN
BE CUSTOM-MADE

Material:	SS304/SS201	O.D.:	25mm/32mm/35mm
Thickness:	1.0mm/1.2mm/1.5mm	Length:	300/400/500/600/800mm
Surface:	Satin, polished, painted or with knurls		

OTHER PRODUCTS | S.S. Grab Bars



PW-SGB



PW-FGB



PW-WAB



PW-WAB1



PW-FB

OEM AVAILABLE

SHOWER SEATS



Model:PW-BS05

Material: 304SS+ABS
Diameter: 32mm
load bearing: 200kgs
Thickness:
pipe1.0 mm supports 3mm 1pcs/box



PW-BS01



PW-BS02



PW-BS03



PW-BS04